

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	236	((SUBSCRIBER NEAR IDENTITY NEAR MODULE) SIM) with encrypt\$5 with key and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/05 17:48
S2	66	((SUBSCRIBER NEAR IDENTITY NEAR MODULE) SIM) with encrypt\$5 with key with generat\$6 and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/05 17:48
S3	6	((SUBSCRIBER NEAR IDENTITY NEAR MODULE) SIM) with (cryptographic secur\$5) near2 algorithm with generat\$5 with key and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/05 17:56
S4	0	honkanen.in. and generating near security near key and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/05 18:06
S5	270	honkanen.in. and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/05 18:07
S6	7	honkanen.in. and communicat\$5 with system. ti. and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/05 18:07
S7	9	honkanen.in. and key with generat\$9 and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/05 18:08
S8	2	((SUBSCRIBER NEAR IDENTITY NEAR MODULE) SIM) with algorithm with session with key with hash \$5 and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 12:00
S9	5	((SUBSCRIBER NEAR IDENTITY NEAR MODULE) SIM) with session with key with hash\$5 and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 12:00
S10	40	((SUBSCRIBER NEAR IDENTITY NEAR MODULE) SIM) with session with key and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 12:03

S11	0	((SUBSCRIBER NEAR IDENTITY NEAR MODULE) SIM) with session with key with content and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 12:06
S12	14	((SUBSCRIBER NEAR IDENTITY NEAR MODULE) SIM) with content with key and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 12:06
S13	55	((SUBSCRIBER NEAR IDENTITY NEAR MODULE) SIM) with generat\$5 with key with algorithm and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 12:18
S14	2	((SUBSCRIBER NEAR IDENTITY NEAR MODULE) SIM) with hash\$5 with session with key with cipher and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 12:31
S15	4	((SUBSCRIBER NEAR IDENTITY NEAR MODULE) SIM) with hash\$5 with key with cipher and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 12:31
S16	0	"7177425".pn. and remote \$5 and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 12:56
S17	0	"7177425".pn. and server and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 12:56
S18	1	"7177425".pn. and database and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 12:56
S19	2	"7177425".pn. and storage and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 12:56
S20	0	((SUBSCRIBER NEAR IDENTITY NEAR MODULE) SIM) with key with cipher\$5 WITH SERVER WITH DATABASE and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 13:00
S21	4	((SUBSCRIBER NEAR IDENTITY NEAR MODULE) SIM) with key with cipher\$5 WITH (SERVER DATABASE) and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 13:00

S22	4	((SUBSCRIBER NEAR IDENTITY NEAR MODULE) \$IM) with key with cipher\$5 and protect\$5 with database and @ad<= "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 13:01
S23	0	((SUBSCRIBER NEAR IDENTITY NEAR MODULE) \$IM) with key with cipher\$5 and remote\$5 with storage and @ad<= "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 13:02
S24	3	((SUBSCRIBER NEAR IDENTITY NEAR MODULE) \$IM) with key with cipher\$5 and server with storage and @ad<= "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 13:03
S25	16	((SUBSCRIBER NEAR IDENTITY NEAR MODULE) \$IM) with key with cipher\$5 and protect\$5 with (data content) and @ad<= "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 13:03
S26	2	((SUBSCRIBER NEAR IDENTITY NEAR MODULE) \$IM) with key with content with protect\$5 and @ad<= "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 13:05
S27	26	((SUBSCRIBER NEAR IDENTITY NEAR MODULE) \$IM) with key with encrypt \$5 and external with (memory database storage) and @ad<= "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 13:07
S28	31	((SUBSCRIBER NEAR IDENTITY NEAR MODULE) \$IM) with key with encrypt \$5 and external with (memory database storage server) and @ad<= "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 13:07
S29	20	((SUBSCRIBER NEAR IDENTITY NEAR MODULE) \$IM) with key with encrypt \$5 and (upload\$5 download \$5) with (personal subscriber) with (information data) and @ad<= "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 13:15

S30	112	((SUBSCRIBER NEAR IDENTITY NEAR MODULE) SIM) with key with encrypt \$5 and (upload\$5 download \$5 transfer\$6 stor\$5) with (personal subscriber) with (information data) and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 13:19
S31	115	((SUBSCRIBER NEAR IDENTITY NEAR MODULE) SIM) with key with encrypt \$5 and (upload\$5 download \$5 transfer\$6 stor\$5) with (personal subscriber) with (information data file photo music) and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 13:20
S32	95	S31 not S29	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 14:02
S33	2	((SUBSCRIBER NEAR IDENTITY NEAR MODULE) SIM) with key with encrypt \$5 with remote and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 14:30
S34	42	portable with ((SUBSCRIBER NEAR IDENTITY NEAR MODULE) SIM) with (upload\$5 download\$5 transfer\$6 stor\$5) with (personal subscriber) with (information data file photo music) and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 14:33
S35	2	(upload\$5 transfer\$5) with encrypted near2 (file data information photo) with remote with portable and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 14:36
S36	0	(upload\$5 transfer\$5) with encrypted near2 (file data information photo) with network near storage with portable and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 14:37
S37	0	(upload\$5 transfer\$5) with encrypted near2 (file data information photo) with network near storage with wireless and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 14:37

S38	0	(upload\$5 transfer\$5) with encrypted near2 (file data information photo) with database with wireless and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 14:37
S39	14	(upload\$5 transfer\$5) with personal near2 (file data information photo) with database with wireless and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 14:38
S40	0	personal near (data information file) near2 database with (wireless portable) and SIM and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 14:49
S41	3	personal near (data information file) with database with (wireless portable) and SIM and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 14:49
S42	258	personal near (data information file) with database with (wireless portable) and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 14:49
S43	99	personal near (data information file) near2 database with (wireless portable) and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 14:49
S44	1	personal near (data information file) near2 database with (wireless portable) with encrypt\$5 and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 14:49
S45	4	personal near (data information file) with database with (wireless portable) with encrypt\$5 and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 14:50
S46	18	personal near (data information file) with server with (wireless portable) with encrypt\$5 and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 14:50
S47	27	generat\$5 with key with hash\$5 with two with random and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 14:52

S48	2	generat\$5 with key with hash\$5 with two near session with key with random and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 14:59
S49	2	hash\$5 with two near session with key with random and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 14:59
S50	8	hash\$5 with session with key with cipher with key and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 15:00
S51	14	(hash\$5)with two near3 session with key and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 15:01
S52	6	(hash\$5)with second near session with key and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 15:05
S53	0	"20040204124".pn. and authenticat\$% and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 15:08
S54	0	"20040204124".pn. and authenticat\$4 and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 15:08
S55	0	"20040204124".pn. and verif \$9 and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 15:08
S56	0	"20040204124".pn. and secur\$5 and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 15:08
S57	0	"20040204124".pn. and safe and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 15:08
S58	2	"20040204124".pn. and request\$5 and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 15:08
S59	1	authenticat\$5 with includ\$5 with challenge with response with password with identificat\$5 with compar\$9 and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 15:17
S60	1	authenticat\$5 with challenge with response with password with identificat\$5 with compar\$9 and @ad< = "20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 15:18

S61	19	authenticat\$5 with challenge with response with password with Identificat\$5 and @ad< = "20031230"	US PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/06 15:18
S62	1	subscriber with code with random with session with key and @ad< = "20031230"	US PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/26 11:01
S63	1	imsi with random with session with key and @ad< = "20031230"	US PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/26 11:02
S64	33	mobile with random with session with key and @ad< = "20031230"	US PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/26 11:06

6/17/09 2:01:26 PM

C:\Documents and Settings\ SChen4\ My Documents\ EAST\ Workspaces\ 10584864.wsp